

तार- "विस्फोटक", नागपूर  
Telegram: 'EXPLOSIVES', Nagpur  
Website : <http://peso.gov.in>  
Email: [explosives@explosives.gov.in](mailto:explosives@explosives.gov.in)  
दूरभाष/ Telephone : 0712-2510248  
फ़ैक्स/ FAX : 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि "मुख्य विस्फोटक नियंत्रक" के पदनाम से भेजे जाए उनके व्यक्तिगत नाम से नहीं।  
All communications intended for this Office should be addressed to the 'Chief Controller of Explosives' and NOT to him by name.



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन  
Petroleum and Explosives Safety Organisation

(पूर्व नाम - विस्फोटक विभाग)

(Formerly- Department of Explosives)

"ए-ब्लॉक", पाँचवा तल, केन्द्रीय कार्यालय परिसर

"A" Block, 5<sup>th</sup> Floor, CGO Complex,

सेमिनरी हिल्स, नागपूर - 440 006 (महाराष्ट्र)

Seminary Hills, Nagpur-440006

No. A/S/HQ/HN/PVM/12 (S92207)

Dated : 05/02/2021

To,

M/s. Heatmax Projects Pvt. Ltd,  
305-307, 3<sup>rd</sup> Floor Capital Plaza,  
Inder Enclava, Paschim Vihar,  
New Delhi – 110087

Sub: Fabrication of **NON-CRYOGENIC** Unfired Pressure Vessels in your existing fabrication shop at **Khewat No.709, Khatoni NO. 847, 11, Biswa, Ismaila, Tahsil Sampla Dist. Rohtak – 124501 (Haryana) under SMPV (U) Rules 2016 – Grant of permission for fabrication of CRYOGENIC pressure vessels.**

Dear Sirs,

Please refer to your letter no. nil 27.08.2020 and inspection of premises by Jt. Chief Controller of Explosives, North Circle, Faridabad on 16.01.2021 on the above subject.

The approval granted for fabrication of Non-Cryogenic unfired pressure vessels in your workshop at **Khewat No.709, Khatoni NO. 847, 11, Biswa, Ismaila, Tahsil Sampla Dist. Rohtak – 124501 (Haryana) granted** vide this letter No. A/S/HQ/HN/PVM/12 (S92207) is hereby further extended for **CRYOGENIC** for further period upto **31/12/2021 on trial basis**. The other terms and conditions contained in this office letter dated 12.03.2019 remain unchanged and should be complied with strictly.

Yours faithfully,

(S.D. Mishra)

Controller of Explosives  
for Chief Controller of Explosives

Copy to the Jt. Chief Controller of Explosives, North Circle, Faridabad with reference to his memo NO. S99016 dated 22.01.2021

for Chief Controller of Explosives

N/2/5/2021

436